


Exposed part for Thermostatic One Box Valve DADO_DD0BT030



MODEL

DD0BT030

Exposed part for Thermostatic One Box Valve, with 1-2-3 outlet deviastop, Minimum depth of installation: 67 mm, without concealed part, for items ZB00B030-ZB00B031

AVAILABLE FINISHINGS



21 21 Chrome



2B 2B Polished Nickel





2F 2F Brushed Nickel



40 40 Matt Black



4Q 4Q Matt White



CHARACTERISTICS

Cartridge Spare Parts **24.04A.PP**

8x20 Plus P Thermostatic Valve

Installation **Concealed**

Required concealed parts **ZB00B031**

ZB00B030



DeviaStop

The Huber Devia Stop technology allows to adjust the water flow and to direct it to the selected output point (overhead soaker, hand shower, etc.).




Thermostatic

The Huber thermostatic is your personal water manager, helping you to handle, control and save water and energy.



Exposed part for Thermostatic One Box Valve DADO_DD0BT030



DD0BT030

<https://en.huberitalia.com/exposed-part-for-thermostatic-one-box-valve-dado-dd0bt030>

One Box Universal Concealed Part ONE BOX_ZB00B031



MODEL

ZB00B031

One Box Universal Concealed Part,for 1 o 2 o 3 outlet thermostatic or single lever,without trim kit,with noise reducers,with sealing gasket

AVAILABLE FINISHINGS


**04** 04 Without finishing

CHARACTERISTICS

Concealed

1

Installation

Concealed

Thermostatic

The Huber thermostatic is your personal water manager, helping you to handle, control and save water and energy.



One Box Universal Concealed Part ONE BOX_ZB00B030



MODEL

ZB00B030

One Box Universal Concealed Part,for 1 o 2 o 3 outlet thermostatic or single lever,without trim kit,without noise reducers,with sealing gasket

AVAILABLE FINISHINGS


**04** 04 Without finishing

CHARACTERISTICS

Concealed

1

Installation

Concealed

Thermostatic

The Huber thermostatic is your personal water manager, helping you to handle, control and save water and energy.



2026-02-24